

Bellows suction cup (round)

<https://www.schmalz.com/10.01.06.00878>



FG 9 HT1-60 N016

Part no.: 10.01.06.00878

Homepage > Vacuum Technology for Automation > Vacuum Components > Vacuum Suction Cups > FG 9 HT1-60 N016

Bellows suction cup (round) for very uneven workpieces



Size: 9

Suction cup material:


High temp material HT1

Material hardness: 60 °Sh

Number of folds: 2.5

Material property: imprint-free

Design Data



Attribute	Value
-----------	-------

d	4.5 mm
---	--------

d2	4.1 mm
----	--------

D1	8.9 mm
----	--------

Dk	9 mm
----	------

Dmax(S)	9.5 mm
---------	--------

Ds	9 mm
----	------

H	15 mm
---	-------

H2	3.8 mm
----	--------

H3	8.2 mm
----	--------

Z	3 mm
---	------

Contact to Schmalz

J. Schmalz GmbH | Johannes-Schmalz-Straße, 72293 Glatten, Deutschland | +49 7443 2403-102 | customercenter@schmalz.de

Technical Data

Attribute	Value
Suction force	0.79 N
Pull-off force	2.3 N
Curve radius (min) (convex)	10 mm
Size	9
Nipple	N 016
Number of folds	2.5
Suction cup material	High temp material HT1
Material hardness	60 °Sh
Weight	0.6 g
Product family	FG

Accessories



SA-NIP N016 M5-AG DN250

Part no. 10.01.06.00123

Suction cup connection nipple

Nipple: N 016

Thread G1: M5-M

Overall length: 16 mm

Fitting length: 5 mm

Nominal size: 2,50 mm

Material: Aluminium



SA-NIP N016 G1/8-AG DN350

Part no. 10.01.06.05735

Suction cup connection nipple

Nipple: N 016

Thread G1: G1/8-M

Overall length: 20 mm

Fitting length: 6 mm

Nominal size: 3,50 mm

Material: Aluminium



SA-NIP N016 G1/8-IG DN350

Part no. 10.01.06.05731

Suction cup connection nipple

Nipple: N 016

Thread G1: G1/8-F

Overall length: 18.5 mm

Fitting length: 12 mm

Nominal size: 3,50 mm

Material: Aluminium



SPI 9 PEEK

Part no. 10.01.06.03280

Insert disc for preventing film from being drawn in

Size: 9

Material: Polyetheretherketon

Application: FG9