

Bellows suction cup (round)

<https://www.schmalz.com/10.01.06.00142>



FG 62 NBR-55 N018

Part no.: 10.01.06.00142

Homepage > Vacuum Technology for Automation > Vacuum Components > Vacuum Suction Cups > Bellows Suction Cups (Round) > FG 62

NBR-55 N018

Bellows suction cup (round) for very uneven workpieces



Size: 62


Suction cup material:

Nitrile rubber NBR

Material hardness: 55 °Sh

Number of folds: 2.5

Design Data



Attribute	Value
-----------	-------

d	8 mm
---	------

d2	29.5 mm
----	---------

D1	62 mm
----	-------

Dk	18 mm
----	-------

Dmax(S)	65 mm
---------	-------

Ds	62.2 mm
----	---------

H	54 mm
---	-------

H2	13 mm
----	-------

Z	29 mm
---	-------

Contact to Schmalz

J. Schmalz GmbH | Johannes-Schmalz-Straße, 72293 Glatten, Deutschland | +49 7443 2403-102 | customercenter@schmalz.de

Technical Data

Attribute	Value
Suction force	41.01 N
Pull-off force	137 N
Volume	61.122 cm ³
Curve radius (min) (convex)	75 mm
Size	62
Nipple	N 018
Number of folds	2.5
Suction cup material	Nitrile rubber NBR
Material hardness	55 °Sh
Weight	39.2 g
Product family	FG

Accessories



SA-NIP N018 G1/4-AG DN440

Part no. 10.01.06.01065

Suction cup connection nipple

Nipple: N 018

Thread G1: G1/4-M

Overall length: 28.8 mm

Fitting length: 4 mm

Nominal size: 4,40 mm

Material: Aluminium

Spanner size SW2: 5 mm



SA-NIP N018 G1/4-IG DN440

Part no. 10.01.06.01066

Suction cup connection nipple

Nipple: N 018

Thread G1: G1/4-F

Overall length: 28.8 mm

Fitting length: 15 mm

Nominal size: 4,40 mm

Material: Aluminium

Spanner size SW2: 5 mm